603 PROTINER SLZ



PRODUCT DESCRIPTION

It is used for thinning cellulosic paints and varnishes on the surfaces to be applied and for cleaning the materials used in applications.

FEATURES

- It thins the products it is used in at an ideal ratio.
- It does not leave a layer on the application surface.
- It allows cellulosic paints to spread better on the surface.
- It is made of high quality solvents.
- It does not leave an oil layer on the products it is used in and therefore does not cause delayed drying.

PACKAGING

5 kg tin packaging 15 kg tin packaging

CONSUMPTION

Variable

Hazard Classification

- Flame. Liquid 1, H224
- Eye Hazard. 2, H319
- Skin Hazard. 2; H315
- Reproductive sis. Tok. 2; H361
- BHOT. repeat. Mrz. 2, H373
- BHOT repeat Mrz3; H336



BARS KİMYA -Dekostar Yalıtım İnşaat San. ve Tic.Ltd.Şti Gürsu Yeni Sanayi Alanı Karahıdır Mah. Okul Yolu Üzeri No:78 Gürsu /BURSA TÜRKİYE Tel : (+90) 850 888 61 00 Whatsapp Gsm : (+90) 516 168 61 01 www.barskimya.com info@barskimya.com

603 PROTINER SLZ



Cellulosic Thinner

Precautionary Statements - Precaution

P201: Read special instructions before use P202: Do not handle unless all precautionary statements have been read and understood P233: Keep container tightly closed P240: Ground / bond container and receiving equipment P241: Use explosion-proof electrical / ventilation / lighting equipment P260: Avoid dust / smoke / gas / Do not breathe mist/vapor/spray P264: Wash hands, arms and face thoroughly after handling P271: Use only outdoors or in a well-ventilated area P280: Wear protective gloves/protective clothing/eye protection/face protection - Response P302+P352: Contact with skin P304+P340: If inhaled: Remove victim to fresh air and keep in a position comfortable for breathing P305+P351+P338: In case of contact with eyes: Rinse cautiously with water for several minutes. Remove contact lenses if worn and easy to do.

Continue rinsing P308+P313: If exposed or concerned, seek medical advice and supervision P312: If you feel unwell, contact the National Poison Control Center.

Call 114 or the doctor/physician.

P321: Special attention required (see label) P332+P313: If skin irritation occurs: Get medical advice/attention P337+P313: If eye irritation persists: Get medical advice/attention P362+P364: Take off contaminated clothing and wash before reuse P370+P378: In case of fire: Use extinguishing material other than water. - Storage P403+P235: Store in a well-ventilated area. Keep cool P405: Keep locked up. - Disposal P501: Handle contents/container in accordance with the "Regulation on Disposal of Hazardous Wastes". It is prohibited to dispose of it together with household waste.

Prevent it from reaching sewers.



BARS KİMYA -Dekostar Yalıtım İnşaat San. ve Tic.Ltd.Şti Gürsu Yeni Sanayi Alanı Karahıdır Mah. Okul Yolu Üzeri No:78 Gürsu /BURSA TÜRKİYE Tel : (+90) 850 888 61 00 Whatsapp Gsm : (+90) 516 168 61 01 www.barskimya.com info@barskimya.com

603 PROTINER SLZ



Cellulosic thinner

LEGAL NOTES

Our technical data sheet is DEKOSTAR LTD., which has a wide range of usage areas. *§TI*. It has been prepared to give general information about the products and to show the technical features of the products. It is a recommendation and this information is about the correct application, ground, air, equipment, etc. It is valid under the conditions and when the products are stored under the recommended conditions.

DEKOSTAR LTD. *§TI*. Since it cannot control the conditions under which its products are used, it does not accept any responsibility for the application result and does not guarantee it. The user of the product must test the suitability of the product before using it.

DEKOSTAR San. will be liable for application errors that may occur if the product is used for purposes other than its intended purpose or if the application conditions and recommendations stated above are not followed. and Tic. Ltd. Ltd. is not responsible and has the right to change the features of its products without notice. Users should always refer to the latest edition of the Product Technical Data Sheet for the relevant product.



BARS KİMYA -Dekostar Yalıtım İnşaat San. ve Tic.Ltd.Şti Gürsu Yeni Sanayi Alanı Karahıdır Mah. Okul Yolu Üzeri No:78 Gürsu /BURSA TÜRKİYE Tel : (+90) 850 888 61 00 Whatsapp Gsm : (+90) 516 168 61 01 www.barskimya.com info@barskimya.com